

## ONTARIO HBOT

Toronto HBOT, Ontario HBOT & The Concussion Centre 136B Cartwright Avenue, Toronto, Ontario, M6A 1V2 T: 416.789.4268 | F: 416.781.4268

## REFERRAL FORM

| Patient Name:      |                |                 |
|--------------------|----------------|-----------------|
| Health Card #:     | Date of Birth: | M: ☐ F: ☐ TG: ☐ |
| Address:           |                |                 |
| Phone:             | Fax:           |                 |
| Alternate Contact: |                |                 |
| Email:             |                |                 |
| Notes:             |                |                 |
|                    |                |                 |
|                    |                |                 |
|                    |                |                 |
| Referred by:       |                |                 |
|                    | Signature      |                 |
| Referred by:       |                |                 |
|                    | Please Print   |                 |
| CPSO:              | Billing:       |                 |
| Date:              |                |                 |



The following are the 14 labeled indications recognized by the FDA and Health Canada, that are treated using Hyperbaric Oxygen Therapy, covered under OHIP.

Please note the length and frequency of each treatment associated with each indication.

| 0 | Delayed Radiation Injury (soft tissues and bone necrosis) 2.4 ATA, 90min, 30 - 40 trmts  |                                       |                            |  |  |
|---|--|---------------------------------------|----------------------------|--|--|
| 0 | Osteomyelitis<br>2.4 ATA, 90min, 30 - 40 trmts   |                                       |                            |  |  |
| 0 | Enhancement of healing in selected problem wounds (after 4 weeks of wound care) 2.4 ATA, 90min O2, 5min air break, 30 - 40 trmts   |                                       |                            |  |  |
| 0 | Skin Grafts and Flaps (compromised) 2.4 ATA, 90min, 2x/day, 30 - 40 trmts  |                                       |                            |  |  |
| О | Thermal Burns  |                                       |                            |  |  |
|   | Adults:  | 2 - 2.4 ATA, 3 times within first 24h | nrs, 2x/day, 20 - 30 trmts |  |  |
|   | Children:  | 2 - 2.4 ATA, 45min, 20 - 30 trmts     |                            |  |  |
| 0 | Necrotizing Soft Tissue Infections (subcutaneous tissue, muscle, fascia) 2.4 ATA, 2x/day, 30 - 40 trmts  |                                       |                            |  |  |
| 0 | Exceptional Blood Loss/Severe Anemia 2.0 - 3.0 ATA, 90min, trmts until stable  |                                       |                            |  |  |
| О | Crush Injury, Compartment Syndrome, and other Acute Traumatic Ischemias  |                                       |                            |  |  |
|   | Crush Injury   | 2.0 - 2.4 ATA, 90 - 120min, 7 - 10 t  | trmts                      |  |  |
|   | Compartment Syndrome   | 2.0 - 2.4 ATA, 2x/day, 2 - 3 trmts    |                            |  |  |
|   | Treating Residual Complications  | 2.0 - 2.4 ATA, 2x/day, 14 - 20 trmts  | 3                          |  |  |
| 0 | Intracranial Abscess<br>2.4 ATA, 90min, 2x/day, 14 trmts   |                                       |                            |  |  |
| 0 | Idiopathic Sudden Sensorineural Hearing Loss (ISSHL) 2.4 ATA, 90min, 20 trmts (Must start HBOT treatment in < 14 days with 3 audiograms showing a loss of 30db or more, to qualify for OHIP) |                                       |                            |  |  |
| 0 | Air or Gas Embolism<br>2.8 ATA, Table 6  |                                       |                            |  |  |
| 0 | Carbon Monoxide Poisoning and/or Cyanide Poisoning 2.8 ATA, 90min, 1 trmt OR 2.8 ATA, 90min, 3 trmts (within 24 hours with neurologic compromise)  |                                       |                            |  |  |
| 0 | Clostridial Myositis and Myonecrosis (Gas Gangrene) 2.8 ATA, 5hrs 20min, Single treatment  |                                       |                            |  |  |
| 0 | Decompression Sickness 2.8 ATA, 90min, treat until symptoms resolve  |                                       | Initial:                   |  |  |